
.

COUNTY OF LOS AN	IGELES			CA	<b>SE REI</b>	PORT			DEPA	RTMENT OF COR	ONE
	APPARENT MO		ACC S	UII	HOMI					CASE NO.	
				<u> </u>		CLOSELY WAT	снер 😿 ра	DMESTIC VIOLENC	E	98-03785	
			RK 🔲 LAW ENFO	RCEMEN	T RELATED 🕱	VICTIMS OF C		ANG RELATED			
			Mult. GS				<u></u>			CRYPT	
	Shot by	v wife f	for unkno	wn re	easons.	(Also Se	e CC#98	8-03786)		128	
LAST, FIRST MIDDLE				AKA:	•				иног 🗌		
HARTMAN, Phi	lip Edward	1							JANE		
ADDRESS					CITY	<u></u>				STATE ZIP	
5065 Encino	Avenue			En	ncino, CA	91416					
SEX RACE APPEARS	DOB	AGE	HGT V	WGT	EYES	HAIR	ТЕЕТН	ID VIEW	CONDITION	EMBALMED	
male cauc	09/24/48	49		210	GRN	BRN	Own	YESN	Facia	l Trauma	
BEARD SCARS (	DESCRIBE)	MARKS	5	TATTOOS	(DESCRIBE)	AMP	UTATIONS	PIERO	CINGS	DEFORMITIES	
MUSTACHE	none obs	erved									
	hn Uartmar	ADDR	ESS			0020	0 (210)	AFE 2001	STATE	ZIP	
NOK (Brother)Jo Mary Hartman;		Violet	Lantern,				9 (310)	455–2801			
RELATIONSHIP	PHO			1	NOTIFIED BY	YES INO				TE TIME	
SISTER SSN		496.	-6279		News Br	oadcast		05,	/28/98		
55N	MULT. 🗍		A R026658		PENDING BY:						
ID BY: D VISUAL (SEE B	ELOW) C LAPD	PRINTS	DOJ PRINTS								$\neg$
	SPITAL CLASD		CAL ID PRINTS								
LAN	MAIN #		CII #			FBI #	·	MILITARY	¥	POB	1
			1.81.61								
NAME (PRINT)			SIGNATURE			HE	LATIONSHIP	P	HONE	DATE TIN	E
					N THE DECEASE		GRAPH AND C	ONFIRM THE IDER			-
PLACE OF DEATH/PLAGE	FOUND	[. V/]			OR LOCATION			CITY		ZIP	-
RESIDENCE BED	ROOM: 5065	Encino	o Avenue								
	Enci	no, CA	91416								
PLACE OF INJURY		AT WO	DATE ES	t Lio	CATION OR ADD	DECC	<b>.</b>			ZIP	4
RESIDENCE BED	ROOM				5065 Enci		ne			ZIP	
		XN			Encino, (				•		
DOD FND TI	ME	FOUND BY								······	
05/28/1998	0710	PRON. BY	L.A.Cit	ty Fi	re R.A.	83					
OTHER AGENCY & INV. OF		- (212)	PHON	NE			REPORT NO	<b>)</b> .	NOTIFIED BY	N	2
LAPD RHD; Basc		2;(213)	400-2001		-		TO: FSC	X	DATE	TIME	-
ENCINAS							AVRO	05/2	8/98 @ 10		
YES NO			YES NO	04.00			SCVRO				
	CLOTHING		YES NO ∑82 □	MEC S	T 🗆 YES 🙇 NO SEAL PA SEAL			ARY FORES	T LAWA	1 GLENDALE	=
	INVEST. PHO	TO # 2								/	-
PHYS. EV. 🕱 🗆	EVIDENCE LO	OG	X	PROP:	YES 🕅			HOSP. RPT.	YES D NO		
	GSR NO	во6	13	всрт	NO. 1439	83		HOSP. CHAR PF NO	T YES D NOT	<b>F</b>	
SYNOPSIS: The dece							b multi		hot wound		-
head and chest	t, moments	after	his wife	shot	herself	5/28/98	3 @ 062	l hrs. Po	lice were		
present in the	e house at	the ti	me of wif	e's	shooting	(see 98-	-03786)	. After s	hooting t	his	
decedent, the	wife went	to a f	riend's a	and c	onfessed	to the	killind	, return	ed to the	e scene	
with that frie	end, who ca	alled 9	-1-1 afte	er di	scoverin	g this c	lecedent	t unrespon	nsive. Mo	otive for	
this Homicide	Suicide is	s not k	nown at t	t t	ime of t	his writ	ing. Fo	orm #3 Nai	rrative 7	႞၀	
Follow. ** PLI		INU HUU	R NOLICE	10 L	APU KHU	DETECTIV			······		
AND	$\gamma$						DATE 05	,29 ,98		DATE	

# INVESTIGATOR'S REPORT

DEPARTMENT OF CORONER





# INVESTIGATION

Starting at about 0900 hours on 5/28/98 calls began coming into the coroner's office from media outlets attempting to confirm information regarding the death of the decedent. Lt. MacWillie called LAPD West Valley Division to inquire. A short time thereafter (0940 hrs.)the deaths of this decedent, and his wife (see cc# 98-03786) were officially reported to the coroner by LAPD West Valley Division Detective Swanston; some two and one-half hours after the deaths were pronounced. It is unclear just when LAPD would have notified this office had Lt. MacWillie not initiated the process. At 1020 hrs., LAPD advised they were ready for coroner response. I left the Antelope Valley Regional Office immediately thereafter and arrived at the scene at 1143 hrs. It was not until 1426 hours that we were invited into the scene--more than six hours after the deaths were pronounced.

# INFORMATION SOURCES:

1. LAPD RHD Detective Dave Martin (213)485-2531

LOCATION: Master bedroom in the home of the decedent and his wife located at 5065 Encino Avenue, Encino.

<u>WITNESS STATEMENTS</u>: Detective Martin told me that police were summoned to the location pursuant to a 9-1-1 call placed by a family friend who, accompanied by the decedent's wife Brynn Hartman (now deceased) discovered the decedent unresponsive in the master bedroom, apparently shot. When police arrived at about 0620 hrs., Mrs. Hartman holed up inside the master bedroom, produced a second revolver, and shot herself. Responding paramedics pronounced both deaths soon after arrival.

Police were told by the family friend that Mrs. Hartman arrived at his house nearby between 0200 and 0300 hours, distraught, and intoxicated. She told the man, "I shot Phil." She presented the friend with a Smith & Wesson revolver, which the friend placed in a plastic grocery bag. Mrs. Hartman stayed at the friends house for another three hours or so before both went back to the Hartman home. After the friend confirmed the unresponsive condition of Mr. Hartman, he called 9-1-1. He gave the original handgun to responding officers, who began removing the couple's two minor children from the scene, and began attempting to talk the distraught Mrs. Hartman out of the bedroom, and into custody. A diversionary tactic was attempted where an officer outside the bedroom window broke a window to divert Mrs. Hartman unresponsive on the bed when they entered. Responding officers removed a revolver from Mrs. Hartman's right hand.

<u>SCENE DESCRIPTION</u>: Master bedroom of the decedents' two-story home. Both decedents are lying on the king size bed, which is situated with the headboard against the north wall. The heads of both decedents are toward the north. Mr. Hartman is lying on the right side (west) of the bed. Mrs. Hartman is on the left side (east), her head upon a pillow, an expended lead projectile embedded into the wooden headboard directly above her head. Broken window glass from the west bedroom window is seen on the floor west of the bed. I

# INVESTIGATOR'S REPORT

DEPARTMENT OF CORONER



98-(	3785			
HAI	RTM	AN, PH	nilip	
HO	MICI	DE	-	
LAF	D RF	ID		127
PAGE	2	OF	3	PAGE(S)

# CONTINUATION

am directed to the hallway floor just outside the bedroom where a 4" barreled revolver is on the floor atop a tan colored plastic SAV-ON Drugstore shopping bag. This weapon is identified to me as being the one used to kill Mr. Hartman--the weapon given to officers by the informant/family friend/9-1-1 caller. I am directed to a 2" barreled revolver lying atop the master bedroom dresser situated against the east wall. This weapon is described to me as the weapon police took from Mrs. Hartman's right hand. No suicide note is found.

BODY EXAM: Mr. Hartman is positioned as described above, pronate and semi-fetal on his left side, his head upon a pillow, left arm outstretched and down toward the foot of the bed, in contact with his wife's body, right arm bent slightly at the elbow resting across his lower chest/upper abdomen, right leg bent at a 45 degree angle at the knee and exposed atop the sheet and blanket, left leg outstretched straight beneath the sheet and blanket. The decedent is clad in a purple T-shirt and red boxer shorts with cartoon Dachshund print. Evaluation of post mortem changes is accomplished approximately 8 hours after the decedent was pronounced dead by paramedics. The decedent exhibits full 4+ rigor mortis. Lividity is present, consistent with position, and blanches with very firm fingertip pressure. Body is cool to the touch throughout. Ambient environmental temperature is measured at 69F at 1455 hours; liver is 86F at 1450 hours. There is a stellate contact gunshot wound of entrance to the forehead just above the bridge of the nose, with palpable crepitus of the temporal/parietal/occipital skull. There is a "V" shaped sooting pattern on the pillow directly adjacent to this wound. There is a gunshot wound of entrance to the right mandible area just lateral to the chin. There is heavy sooting circumfrential to this wound, and stippling circumfrential to the sooting pattern. There is a similar wound to the posterior right forearm with exit out the anterior right forearm, and re-entry into the lower right chest/upper right abdomen. The chest/abdominal wound exhibits a bruising pattern. The posterior forearm wound exhibits a semi-circular sooting pattern--more prominent below the wound (toward the wrist). This thru & thru arm and into lower chest wound trajectory is consistent with found position. Blood trails from all wounds as well as from the ears, nose, and mouth. Pillow and bedding in contact with the upper torso are saturated with wet and coagulating blood.

<u>EVIDENCE</u>: I collected gunshot residue kit # B0613 at scene. I collected routine hair and fingernail standards at FSC. Aforementioned weapons are collected by LAPD RHD.

<u>WEAPONS</u>: Weapon used against Mr. Hartman is a Smith & Wesson Model 15 .38 caliber 4" blue steel revolver bearing serial number 1K66888, and comes back registered to this decedent. The weapon used by Mrs. Hartman to shoot herself is a CHARTER ARMS "Undercover" blue steel 2" .38 caliber revolver bearing serial number 910459, which comes back unregistered.

<u>IDENTIFICATION</u>: Via California Drivers License photo. Decedent is also known to this investigator via his work in movies and television.

INVESTIGATOR'S REPORT

DEPARTMENT OF CORONER



HA	03785 RTM MICI	AN, I	Philip		
LA	PD R	HD		127	
PAGE	3	OF _	3	PAGE(	S)

**CONTINUATION** 

<u>NOTIFICATION</u>: The decedent's sister, Mary Hartman learned of her brother's death via news reports prior to any LAPD or Coroner attempt to notify family.

TISSUE DONATION: Family not approached.

Daniel P. Aikin Coroner Investigator

05/30/1998 DATE

OF LOS ANGELES	AUTOPSY REPORT	DEPARTMENT OF CO
$\mathbf{\Omega}$	AUTUIST MELUNI	98-03785
		HARTMAN, PHILLIP E.
2	• ·	
III.	Gunshot wound of arm and abdomen.	
	A. Entry of posterior surface of	right forearm.
	B. Exit of anterior surface of ri	ght arm.
	C. Probable re-entry of right upp	er chest.
	D. Projectile recovered from left area.	perirenal
· .	E. Direction: right to left, from and upward.	nt to back
	F. Involving right radius and ulna 7th rib, liver, duodenum, jejum and left perirenal area.	
	G. Close-range wound.	
IV.	Hemoperitoneum, 200 grams.	
v.	Abrasion of knee.	
vı.	Meckel's diverticulum.	
CIRCUMSTANC	CES:	
shooting or	nt is a 49-year-old man who was invol n 5-28-98. He was pronounced dead at ved in the shooting was his wife (cor	the scene.
DESCRIPTION	I OF GUNSHOT WOUNDS:	

Entry: The entry is located in the central forehead 3-1/4 inches below the top of the head in the midline. It consists of a 3/8 inch roughly round defect. There is a 1/2 inch laceration at 3 o'clock, a 3/8 inch laceration at 7 o'clock, a 1/2 inch laceration at 11 o'clock and 1/8 inch lacerations at 12 o'clock, 1 o'clock, 4 o'clock, 5 o'clock and 6 o'clock. There is a circumferential

DEPARTMENT OF CORONER





98-03785

No.

HARTMAN, PHILLIP E.

Exit: No exit wound is present.

Projectile: A jacketed deformed projectile is recovered from the left parietal skull, 3 inches below the top of the head and 2-1/2 inches left of the midline. After recovery at 1202 hours, this projectile is placed in a labeled evidence envelope without marking the base. It is kept in my possession and is later given to Detective Gollaz.

Direction: Right to left, front to back and slightly upward.

Course: The hemorrhagic wound track passes through the central part of the forehead and enters the skull, fracturing the left frontal bone. The dura in this area shows sooting of the margin. The bullet passed through the left frontal and left parietal lobes of the brain, and strikes the left parietal bone, causing a fracture. The bullet is recovered from this site. This injuries are associated with cerebral contusions and subarachnoid hemorrhage, as well as contusion of the left orbit.


Opinion: This is a fatal injury inflicted during life. It is a contact wound.

GUNSHOT WOUND #2:

Entry: The entry wound is located on right side of the neck 9 inches below the top of the head and 1-1/2 inches right of the midline. It consist of a 1/4 inch roughly round defect with a 1/4 inch to 3/8 inch wide zone of sooting, which is widest at 4 o'clock. There is surrounding stippling, which is 1-1/2 inches wide at 12 o'clock, 1 inch at 3 o'clock, 2 inches at 6 o'clock, and 1-3/8 inches at 9 o'clock.

Exit: No exit wound is present.

Projectile: A jacketed nondeformed projectile is recovered from the left shoulder at 10 inches below the top of the head and 5 inches left of the midline. After recovery at 1141 hours, this is marked "2" on its base and placed in a labeled evidence envelope. It is kept in my possession and is later given to Detective Gollaz.



this is marked "3" on its base. It is placed in a labeled evidence envelope and kept in my possession until it is given to Detective Gollaz.

COUNTY OF LOS ANGELES DEPARTMENT OF CORONER No. **AUTOPSY REPORT** 98-03785 HARTMAN, PHILLIP E. 5 Page \_\_\_ Direction: The initial direction is right to left, front to back and upward, assuming that the decedent was positioned with the right arm over the right chest. The hemorrhagic wound track passes through the right Course: arm from posterior to anterior, with an associated fracture of the right radius and ulna. The projectile exits the anterior surface of the right arm and re-enters the right chest. The projectile strikes the inferior surface of the right 7th rib and is deflected downward. It passes through the margin of the liver, the duodenum, the jejunum and the mesentery, and comes to rest in the left perirenal area, from which it is recovered. These injuries are associated with approximately 200 grams of blood in the abdominal cavity. Opinion: This is a fatal injury inflicted during life. It was inflicted at close range.

INITIAL EVIDENCE OF TRAUMA:

There is a  $3/8 \times 1/8$  inch abrasion of the right knee. This shows vital reaction.


### CLOTHING:

When received, the decedent is wearing:

- A purple t-shirt with extensive red staining. The label is legible. There is defect in the right lower chest. Due to the dark color of the shirt, it cannot be determined whether soot or stippling is present in this area.
- 2) A pair of red and white boxer underwear with a dachshund design. The label says "Gap" size 37-40.

COUNTY OF LOS ANGELES

DEPARTMENT OF CORONER



# **AUTOPSY REPORT**

98-03785

No.

HARTMAN, PHILLIP E.

EXTERNAL EXAMINATION:

Note: The findings described above will not be repeated in the following description.

The body is that of an unembalmed Caucasian middle-aged male who appears the stated age of 49 years. The body is identified by The body weighs 210 pounds, measures 70 inches in toe-tags. length and is mildly obese. There is no abnormal skin coloring or pigmentation. No tattoos are present. Rigor mortis is welldeveloped in the limbs and jaw. Livor mortis is fixed and distributed over the left anterior portion of the body, as well as over the back. The head, which is normocephalic, is covered There is temporal balding. Examination of the by brown hair. eyes reveals pupils with green irides and sclerae that show no injection or jaundice. There are no petechial hemorrhages of the conjunctivae of the lids or sclerae. The oronasal passages are obstructed. Upper and lower teeth are present. The neck is unremarkable except for the gunshot wound. Resuscitative marks are not present over the precordium. There is no chest There is no increase in the anterior-posterior deformity. diameter of the chest. There are no scars of the chest or abdomen. The abdomen is flat. The genitalia are those of an There are no needle tracks in the circumcised adult male. antecubital regions. There are no fresh venipunctures. Edema of the extremities is not present. Joint deformities, crepitus and abnormal mobility are not present.

### INITIAL INCISION:

The body cavities entered through a Y-shaped incision. No foreign material is present in the mouth or upper airway. No lesions are present nor is trauma of the gingiva, lips or oral mucosa demonstrated. Both hyoid bone and larynx are intact without fractures. The pleural cavities contain a small quantity of straw-colored fluid. The parietal pleurae are intact. The lungs are well-expanded. Soft tissues of the thoracic and abdominal walls are well-preserved. There is no recent evidence of injury to the chest wall. The organs of the abdominal cavity have a normal arrangement. None is absent. The abdomen contains about 200 grams of blood. The peritoneal cavity is without evidence of peritonitis. There are no adhesions.

DEPARTMENT OF CORONER

-1	2
Page	7

# **AUTOPSY REPORT**

98-03785

No.

HARTMAN, PHILLIP E.

## SYSTEMIC AND ORGAN REVIEW

CARDIOVASCULAR SYSTEM:

The aorta is elastic and of even caliber throughout with vessels distributed normally from it. It shows no atherosclerosis. There is no tortuosity, widening or aneurysm of the aorta.

Within the pericardial sac, there is a minimal amount of serous fluid. The heart weighs 450 grams. It has a normal configuration. The chambers are normally developed. The valves are thin, leafy and competent. There is no endocardial discoloration. The chambers are without mural thrombosis. There is no scarring or hemorrhage of the apices of the papillary muscles. There are no defects of the septum. The great vessels enter and leave in a normal fashion. The ductus arteriosus and foramen ovale are obliterated. The coronary ostia are widely patent. The right coronary artery is the dominant vessel. There is minimal coronary artery atherosclerosis. There are no focal lesions of the myocardium.

### **RESPIRATORY SYSTEM:**

There is no edema of the larynx. There are no fractures of the laryngeal cartilages. A moderate amount of blood is present in the upper respiratory passages. The right lung weighs 500 grams and the left lung weighs 540 grams. The lungs are crepitant and there is dependent congestion. The visceral pleurae are smooth and intact. The parenchyma shows no nodularity or consolidation. The pulmonary vasculature is without thromboembolism.

### GASTROINTESTINAL SYSTEM:

The esophagus is intact throughout. The stomach is not distended. It contains 150 grams of semisolid tan fluid. The mucosa is intact without hemorrhage or ulceration. No medication or capsular material is identified. The external appearance of the small intestine and colon is unremarkable except for the gunshot wounds. A Meckel's diverticulum is present. The small intestine and colon are opened along the antimesenteric border and no mucosal lesions are present.

DEPARTMENT OF CORONER



# **AUTOPSY REPORT**

98-03785

No.

HARTMAN, PHILLIP E.

The appendix is present. The pancreas occupies a normal position. The parenchyma is lobular and firm. The pancreatic ducts are not ectatic and there is no parenchymal calcification.

### **HEPATOBILIARY SYSTEM:**

The liver weighs 2,170 grams. It is red-brown and the capsule is thin. The consistency is soft and the cut surface is smooth. There is a normal lobular arrangement. The gallbladder is present and its wall is thin and pliable. It contains no stones and a minimal amount of bile. There is no obstruction or dilatation of the extrahepatic ducts. The periportal lymph nodes are not enlarged.

## URINARY SYSTEM:

The right kidney weighs 150 grams and the left kidney weighs 150 grams. The kidneys are normally situated and the capsules strip easily revealing a surface that is smooth and dark purple. The corticomedullary demarcation is preserved. The pyramids are not remarkable. The peripelvic fat is not increased. The ureters are without dilatation or obstruction. The urinary bladder is unremarkable and contains 110 grams of urine.

### GENITAL SYSTEM:

The prostate is without enlargement or nodularity. Both testes are in the scrotum and without trauma.

## HEMOLYMPHATIC SYSTEM:

The spleen weighs 130 grams. The capsule is smooth and intact. The parenchyma is firm and dark red. There is no increase in the follicular pattern. Lymph nodes throughout the body are small and inconspicuous.

# **AUTOPSY REPORT**

DEPARTMENT OF CORONER

# **12**

# 98-03785

No.

HARTMAN, PHILLIP E.

ENDOCRINE SYSTEM:

The thyroid gland is unremarkable. The adrenals are intact without necrosis or hemorrhage. The thymus is not identified. The pituitary gland is of normal size.

### CENTRAL NERVOUS SYSTEM:

Apart from the gunshot wounds, there is no injury to the calvarium or base of the skull. There is a moderate amount of subarachnoid hemorrhage. The brain weighs 1710 grams. The leptomeninges are thin and transparent. A flattened convolutionary pattern is observed. Coronal sectioning demonstrates a uniformity of cortical gray thickness. The cerebral hemispheres are symmetrical except for the gunshot wound. The basal ganglia are intact. Anatomic landmarks are preserved. The ventricular system is without dilatation. The pons, medulla and cerebellum are unremarkable. There is no evidence of uncal or cerebellar herniation. Vessels at the base of the brain have a normal pattern of distribution. There are no aneurysms. The cerebral arteries are without arteriosclerosis.

Spinal cord: The spinal cord is not dissected.

## HISTOLOGIC SECTIONS:

Representative specimens from various organs are preserved in 10% formalin and placed in the storage jar.

### TOXICOLOGY:

Blood, urine, bile, liver tissue and stomach contents have been submitted to the laboratory. C screen is requested.

#### **PHOTOGRAPHS:**

Photographs have been taken prior to and during the autopsy.

AUTOPSY I	REPORT No.
	98-03785
	HARTMAN, PHILLIP E.
ge <u>10</u>	L
	· //
RADIOLOGY:	
The body is fluoroscoped and	x-rays are taken.
WITNESSES:	
Detectives Gollaz and Ito were	e present during the autopsy.
Cluitte Poon	
CHRISTOPHER ROGERS, M.D.	<u>6-16-98</u> DATE
CHIEF, FORENSIC MEDICINE DIVIS	
CR:rs:c	
T-06/8/98	

--

٠

COUNTY OF LOS ANGELES	MEDICAL REPORT - FORENSIC SCIENCE	CENTER	DEPARTMENT OF CORONER
15 Date <u>5-29</u> □ PENDING □ TOX □ HISTO 22. DEATH WAS CAUSED BY: (ENTE IMMEDIATE CAUSE	AUTOPSY CLASS: X A B C EXAMINATION ONLY (0) Time 1670 Dr PRINT NAME PRINT NA	APPROXI- MATE INTERVAL BETWEEN	45 02785 PATTMAR, PRILL F
(A) Multiple of DUE TO, OR AS A CONSEQUENCE O	of	rano	Med. History
(B)			
DUE TO, OR AS A CONSEQUENCE C	0F /// 3//		
(C)			Investigations
DUE TO, OR AS A CONSEQUENCE C	F /		Criminalistics
(D)			GSR
Other conditions contributing but not re	elated to the immediate cause of death:		HISTOPATH CUT: AUTOPSY LAB MICROBIOLOGY: NEUROPATHOLOGY
If other than natural causes HOW DID INJURY OCCUR?	SUICIDE & HOMICIDE UNDETERMINED with revolver ANY CONDITION STATED ABOVE? Uses No DATE		TOXICOLOGICAL SPECIMENS COLLECTED         Image: Specimens collected
	U WITNESSES TO AUTOPSY: Gollaz, Ito		STOMACH VITREOUS     CONTENTS     NO BLOOD
PERTINENT COMMENTS:	EVIDENCE RECOVERED AT AUTOPSY Item Description: - Projectile from bound - projectile from Labord - Projectile from ponreno area Che bitt Ato	ן                   	EMBALMED
			BODY TAGEL I MED. RECORD CLOTHING C I AT SCENE PHOTO (NO) SPECIAL X-RAY (NO. 5.4%

COUNTY OF LOS ANGELES Autopsylies or Print Autopsy Report DEPARTMENT OF CORONER 48 03785 1374A4, Parate E. 168 LAPS/HOBE W/VLY 1710 **BRAIN Wt EXTERNAL EXAM** PERITONEUM Henopertonein, Sex Malc Fluid Dura Loogh Race Caucusian Adhes J Fluid Gunslat Age 49 LIVER Wt 2 70 Ventric wound Height 70 Caps Vessels, minimed bile Weight 210 Lobul Ears Hair Brun Fibros rosmal liver Nasal-Sin Eyes Green GB PITUITARY-Normal Sciera -Calc Teeth **Bile ducts** SPLEEN Wt TZO Mouth Normal SPINAL CORD Tongue Color Nose Consist Chest- Gunshet wound Nonal Caps Malpig Abdomen Normal Breasts 7 **TOXICOLOGY SPECIMENS** PANCREAS Scar - vone noted Block, unine, bile, ADRENALS 2150 Genital - Circumcised liver, stomach contents KIDNEYS Wt Ci 150 Edema Caps se diamon SECTIONS FOR Skin Cortex word HISTOPATHOLOGY Decub Vessels 4CDStock jar **HEART Wt** Pelvis Pericard minimal coronary Hypert anter attens scleros is Ureter BLADDER - 1109m Urine MICROBIOLOGY Dilat GENITALIA Muscle Prost Nomal Valves Testes Coronar Uterus **OTHER PROCEDURES** AORTA Tubes VESSELS **Ovar** OESOPHAGUS - Nenal LUNGS Wt R 500 geneshet STOMACH - 1509m Ting **GROSS IMPRESSIONS** 540 L DUOB & SM INT 1. Gunshet wound of medals Adhes APPENDIX head Band distriction Fluid LARGE INT 2. Gunghot woud of near Atelectasi ABDOM NODES - Menal and inter Oedema SKELETON 3. Ganshat wound of Fractures' Congest Spine 9)all, arm and abdomen Consol Marrow R radius/alna. Rib Cage nick R. 7th Bronchi 4. Henryser toneum. Nodes Long bones 200 92 rib PHARYNX - Gunshet man Pelvis 5. Abranion of lence TRACHEA 8. Meckel's diversion Clothing: - Puzzle T-shuit THYROID artensice red staring illegible Ished , lefted A. love chat Nornel THYMUS LARYNX HYOID - Rect/ white hoke undernea withdachand ABDOMINAL WALL FAT design, Jalah Date Time **Deputy Medical Examiner** 1225 Censtand 5-29-98 En

76A878-(REV. 8/97)

# Report of Toxicological Analyses Department of Coroner County of Los Angeles

06/05/98

Non-Pending

- TO: Christopher Rogers, M.D. Chief, Forensic Medicine
- FROM: Forensic Toxicology Laboratory Forensic Science Laboratories Division

SUBJECT: Coroner's Case Number 98-03785 HARTMAN, PHILIP E


In accordance with your request, toxicological analyses have been performed and are now completed on the subject case as tabulated below:

	Analyses	Drugs	Level	Assigned	Date
Tissue	Requested	Analyzed	Found	Toxicologist	Analyzed
Blood	Basic Drugs	Bases/Phenothiazines	ND	D. Anderson	06/02/98
Urine	Basic Drugs	Bases/Phenothiazines	ND	D. Anderson	06/02/98
Blood	Methamphetamine	Methamphetamine	ND	L. Mahanay	06/03/98
Blood	Barbiturates		ND	L. Mahanay	06/03/98
Blood	Cocaine	Cocaine and Metabolites	ND	L. Mahanay	06/03/98
Blood	Narcotics	Codeine	ND	L. Mahanay	06/03/98
Blood	Narcotics	Morphine	ND	L. Mahanay	06/03/98
Blood	Phencyclidine	Phencyclidine	ND	L. Mahanay	06/03/98
Urine	Barbiturates		ND	L. Mahanay	06/03/98
Urine	Cocaine	Cocaine and Metabolites	ND	L. Mahanay	06/03/98
Urine	Narcotics	Codeine	ND	L. Mahanay	06/03/98
Urine	Narcotics	Morphine	ND	L. Mahanay	06/03/98
Urine	Phencyclidine	Phencyclidine	ND	L. Mahanay	06/03/98
Blood	Alcohols	Alcohols	Negative	J. Park	06/03/98
Urine	Alcohols	Alcohols	Negative	J. Park	06/03/98
Urine		Amphetamine	ND	M. Schuchardt	06/05/98
Urine		Phenylpropanolamine	Present	M. Schuchardt	06/05/98
Urine		Pseudoephedrine	Present	M. Schuchardt	06/05/98
Urine	Methamphetamine	Methamphetamine	ND	M. Schuchardt	06/05/98

LEGEND:	
MG/L = Milligram per Liter	G% = Gram Percent
UG/ML = Micrograms per Milliliter	ND = Not Detected
QNS = Quanity Not Sufficent	MG = Milligrams
UG/G = Micrograms per Gram	
MG/DL = Milligram per Deciliter	
TNP = Test Not Performed	


JOSEPH J. MUTO CHIEF FORENSIC TOXICOLOGIST

026-9-94




# **COUNTY OF LOS ANGELES**

## **DEPARTMENT OF CORONER**



## DEPARTMENT OF CORONER



B2       Accident         Suicide       Suicide         Questionable Accident/Homicide       B         Questionable Accident/Suicide       C         Questionable Suicide/Homicide       C         Investigator Requests Rush       C         Right Handed       Left Handed       Vinknown	785 PHELLEA
🗆 Right Handed 🗆 Left Handed 🖾 Unknown 🕅 Male 🗆 H	
	Female
Occupation <u>COMEDIC ACTOR</u> Unknown	
Activity Prior to Shooting <u>Pecepent</u> in Bed	
Have the decedent's hands been touched by anyone prior to taking the GSR sample? If yes, by whom? Paramedics Family Police Hospital Personn Other	Unknown nel
Open of the shorting	val
FOUND NEAR SUSPECT (ALSO DECEASED)	
5 Shooting Occurred: 🖾 Indoors 🗆 Outdoors 🗆 Unknown	
Og   Location of Body:   Indoors   Outdoors   Automobile   Hospital     Other	
Number of Shots Fired: 3	
Date 05/28/98 and Time 0230 of Shooting	
Date $05/28/98$ and Time 1436 GSR samples were taken.	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	
Body transported to FSC via Coroner Contractor ENCINAS	
Nevolver 🗆 Semi-automatic/automatic 🗆 Rifle 🗆 Shotgun	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	
E Make/Model 5/W MODEL 15 Caliber .38	
Z Brand of Ammunition UNK Caliber of Ammunition UNK	
Brand of Ammunition Caliber of Ammunition Bullet Configuration:	Pointed
Other	
Bullet Surface:	
Comments:	
	3/98 Date
RESULTS:	
White: Medical file	

Same and the second second

White:Medical filePink:Laboratory CopyYellow:Laboratory Copy

# County of Los Angeles Department of Coroner

# Forensic Laboratory Analysis Report

# Coroner's Case #: 98-03785 Decedent: HARTMAN, Phillip Evidence Received: 5-29-98

Microanalysis: Gunshot Residue

Specimen: One properly sealed GSR kit numbered B0613.

- Purpose: Determine by Scanning Electron Microscopy / Energy Dispersive Spectroscopy (SEM/EDS) analysis if any gunshot residue particles are present.
- Results: SEM/EDS analysis revealed two unique particles and several consistent particles of gunshot residue on the right hand adhesive lift sample and several consistent particles of gunshot residue on the left hand adhesive lift sample.

Therefore, the decedent discharged a firearm or had his hands otherwise in an environment of gunshot residue.

Date of Analysis 5-29-98

for J. Part

Analyst: Steven J. Dowell Research Criminalist

